

# FIBULA

## Königsee Implantate



Your Partner in Osteosynthesis

# VaWiKo® lateral distal fibula plate 3.5

variable angle-stable; for screws Ø 3.5 mm; titanium



Item no. 5.07813.06



Item no. 5.07813.11

| Item no.   | Item description                                                 | EAN                                                                                                    |
|------------|------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| 5.07813.06 | VaWiKo® lateral distal fibula plate 3.5; 4/2 hole; length 83 mm  | <br>4 047075 172665 |
| 5.07813.07 | VaWiKo® lateral distal fibula plate 3.5; 4/3 hole; length 96 mm  | <br>4 047075 172672 |
| 5.07813.09 | VaWiKo® lateral distal fibula plate 3.5; 4/5 hole; length 122 mm | <br>4 047075 172689 |
| 5.07813.11 | VaWiKo® lateral distal fibula plate 3.5; 4/7 hole; length 148 mm | <br>4 047075 172696 |

# Set VaWiKo® Lateral distal fibula plate 3.5

variable angle-stable; titanium; Set no. 19.474.00/2



Item no. 5.07813.09



Set no. 19.474.00/2  Internal hexagon

| Item no.                                          | Item description         | Quant. |
|---------------------------------------------------|--------------------------|--------|
| Implants – plates                                 |                          |        |
| VaWiKo® lateral distal fibula plate 3.5; titanium |                          |        |
| 5.07813.06                                        | 4/2 holes; length 83 mm  | 1      |
| 5.07813.07                                        | 4/3 holes; length 96 mm  | 1      |
| 5.07813.09                                        | 4/5 holes; length 122 mm | 1      |

| Implants – screws                                                                                                                                                                        |              |   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---|
| Cortical screw with conical head thread<br>Ø 3.5 mm; fully threaded;<br>self tapping; head 5.0; titanium                                                                                 |              |   |
|   Internal hexagon |              |   |
| 3.136.10                                                                                                                                                                                 | length 10 mm | 4 |
| 3.136.12                                                                                                                                                                                 | length 12 mm | 4 |
| 3.136.14                                                                                                                                                                                 | length 14 mm | 4 |
| 3.136.16                                                                                                                                                                                 | length 16 mm | 4 |
| 3.136.18                                                                                                                                                                                 | length 18 mm | 4 |
| 3.136.20                                                                                                                                                                                 | length 20 mm | 4 |
| 3.136.22                                                                                                                                                                                 | length 22 mm | 4 |
| 3.136.24                                                                                                                                                                                 | length 24 mm | 4 |

| Item no.                                                                                                                                                                                 | Item description | Quant. |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------|
| Implants – screws                                                                                                                                                                        |                  |        |
| Cortical screw Ø 3.5 mm<br>self tapping,<br>fully threaded; titanium                                                                                                                     |                  |        |
|   Internal hexagon |                  |        |
| 3.138.10                                                                                                                                                                                 | length 10 mm     | 2      |
| 3.138.12                                                                                                                                                                                 | length 12 mm     | 2      |
| 3.138.14                                                                                                                                                                                 | length 14 mm     | 2      |
| 3.138.16                                                                                                                                                                                 | length 16 mm     | 2      |
| 3.138.18                                                                                                                                                                                 | length 18 mm     | 2      |
| 3.138.20                                                                                                                                                                                 | length 20 mm     | 2      |
| 3.138.22                                                                                                                                                                                 | length 22 mm     | 2      |
| 3.138.24                                                                                                                                                                                 | length 24 mm     | 2      |
| 3.138.36                                                                                                                                                                                 | length 36 mm     | 2      |
| 3.138.38                                                                                                                                                                                 | length 38 mm     | 2      |
| 3.138.40                                                                                                                                                                                 | length 40 mm     | 2      |
| 3.138.42                                                                                                                                                                                 | length 42 mm     | 2      |
| 3.138.44                                                                                                                                                                                 | length 44 mm     | 2      |
| 3.138.46                                                                                                                                                                                 | length 46 mm     | 2      |
| 3.138.48                                                                                                                                                                                 | length 48 mm     | 2      |
| 3.138.50                                                                                                                                                                                 | length 50 mm     | 2      |

# Set VaWiKo® Lateral distal fibula plate 3.5


variable angle-stable; titanium; Set no. 19.474.00/2

| Item no.    | Item description                                                                  | Quant. |
|-------------|-----------------------------------------------------------------------------------|--------|
| Instruments |                                                                                   |        |
| 2.904.06    | drill bit for quick coupling, Ø 2.5 x 125 mm, spiral length 60 mm, double spiral  | 1      |
| 2.904.10    | drill bit for quick coupling, Ø 3.5 x 110 mm, spiral length 40 mm, double spiral  | 1      |
| 2.977.12    | drill guide with handle for variable angle stable screwing 3.5 with head Ø 5.0 mm | 1      |
| 2.977.13    | drill guide for angle stable screws 3.5 with head Ø 5.0 mm, length 44 mm          | 2      |
| 10.520.30   | double drill guide Ø 2.5 mm/ Ø 3.5 mm, spring bushing                             | 1      |
| 2.9406.25   | hex screwdriver with handle for screws Ø 2.7 mm - Ø 4.0 mm, AF 2.5, conical       | 1      |
| 2.953.60    | gauge with clasp for screws Ø 3.5 mm, Ø 4.0 mm, measuring range 60 mm             | 1      |
| 2.924.35    | tap for quick coupling for cortical screws, Ø 3.5 x 110 mm                        | 1      |
| 2.954.01    | screw forceps, self holding                                                       | 1      |

| Item no.    | Item description                                     | Quant. |
|-------------|------------------------------------------------------|--------|
| Accessories |                                                      |        |
| 3.200.02    | washer, outside Ø 7.0 mm / inside Ø 3.8 mm, titanium | 3      |

|          |                                                                                 |   |
|----------|---------------------------------------------------------------------------------|---|
| Wire     |                                                                                 |   |
| 6.031.16 | Kirschner wire with trocar point and round end, Ø 1.6 x 150 mm, stainless steel | 5 |

|             |                                                                                                                 |   |
|-------------|-----------------------------------------------------------------------------------------------------------------|---|
| Container   |                                                                                                                 |   |
| 19.475.00/2 | perforated autoclav. container with inset for instruments/ implants vas, plate and screws up to 50 mm in length | 1 |



Set no. 19.474.00/2  Internal hexagon

# Distal fibula plate 3.5 vas

variable angle-stable; for screws Ø 3.5 mm; titanium



Item no. 5.07803.07



Item no. 5.07803.09

| Item no.   | Item description                                                                             | EAN                                                                                                    |
|------------|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| 5.07803.07 | Fibula plate with conical thread 3.5, 7 holes, 96 x 10 mm, variable angle-stable, titanium   | <br>4 047075 149780 |
| 5.07803.09 | Fibula plate with conical thread 3.5, 9 holes, 122 x 10 mm, variable angle-stable, titanium  | <br>4 047075 149797 |
| 5.07803.11 | Fibula plate with conical thread 3.5, 11 holes, 148 x 10 mm, variable angle-stable, titanium | <br>4 047075 149803 |

# Set Distal fibula plate 3.5 vas

variable angle-stable; for screws Ø 3.5 mm; titanium; Set no. 19.474.00



Item no. 5.07803.09



Set no. 19.474.00  Internal hexagon

| Item no.                                                              | Item description       | Quant. |
|-----------------------------------------------------------------------|------------------------|--------|
| Implants – plates                                                     |                        |        |
| Fibula plate with conical thread 3.5, variable angle-stable, titanium |                        |        |
| 5.07803.07                                                            | 7 holes; 96 x 10 mm    | 1      |
| 5.07803.09                                                            | 9 holes ; 122 x 10 mm  | 1      |
| 5.07803.11                                                            | 11 holes ; 148 x 10 mm | 1      |

|                                                                                                                                                      |              |   |
|------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---|
| Implants – screws                                                                                                                                    |              |   |
| Cortical screw, Ø 3.5 mm, fully threaded, self tapping, titanium  |              |   |
| 3.132.10                                                                                                                                             | length 10 mm | 2 |
| 3.132.12                                                                                                                                             | length 12 mm | 2 |
| 3.132.14                                                                                                                                             | length 14 mm | 2 |
| 3.132.16                                                                                                                                             | length 16 mm | 2 |
| 3.132.18                                                                                                                                             | length 18 mm | 2 |
| 3.132.20                                                                                                                                             | length 20 mm | 2 |
| 3.132.22                                                                                                                                             | length 22 mm | 2 |
| 3.132.24                                                                                                                                             | length 24 mm | 2 |
| 3.132.26                                                                                                                                             | length 26 mm | 2 |
| 3.132.28                                                                                                                                             | length 28 mm | 2 |
| 3.132.30                                                                                                                                             | length 30 mm | 2 |
| 3.132.34                                                                                                                                             | length 34 mm | 2 |
| 3.132.36                                                                                                                                             | length 36 mm | 2 |
| 3.132.38                                                                                                                                             | length 38 mm | 2 |


|                                                                                                                                                                               |              |   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---|
| Implants – screws                                                                                                                                                             |              |   |
| Cortical screw with conical head thread, Ø 3.5 mm, fully threaded, self tapping, titanium  |              |   |
| 3.133.10                                                                                                                                                                      | length 10 mm | 4 |
| 3.133.12                                                                                                                                                                      | length 12 mm | 4 |
| 3.133.14                                                                                                                                                                      | length 14 mm | 4 |
| 3.133.16                                                                                                                                                                      | length 16 mm | 4 |
| 3.133.18                                                                                                                                                                      | length 18 mm | 4 |
| 3.133.20                                                                                                                                                                      | length 20 mm | 4 |
| 3.133.22                                                                                                                                                                      | length 22 mm | 4 |
| 3.133.24                                                                                                                                                                      | length 24 mm | 4 |
| 3.133.26                                                                                                                                                                      | length 26 mm | 4 |

|          |                                                                                 |   |
|----------|---------------------------------------------------------------------------------|---|
| Wires    |                                                                                 |   |
| 6.031.16 | Kirschner wire with trocar point and round end, Ø 1.6 x 150 mm, stainless steel | 5 |

|             |                                                                                                         |   |
|-------------|---------------------------------------------------------------------------------------------------------|---|
| Container   |                                                                                                         |   |
| 19.475.00/1 | perforated autoclavable container with inset for instruments/implants angle stable plate small fragment | 1 |

# Set Distal fibula plate 3.5 vas

variable angle-stable; for screws Ø 3.5 mm; titanium; Set no. 19.474.00



Set no. 19.474.00  Internal hexagon

| Item no.    | Item description                                                                         | Quant. |
|-------------|------------------------------------------------------------------------------------------|--------|
| Instruments |                                                                                          |        |
| 2.904.05    | drill bit for quick coupling, Ø 2.5 x 105 mm, spiral length 50 mm, double spiral         | 1      |
| 2.904.10    | drill bit for quick coupling, Ø 3.5 x 110 mm, spiral length 40 mm, double spiral         | 1      |
| 2.977.08    | drill guide with handle for variable angle stable screwing, small fragment, length 45 mm | 1      |
| 2.977.01    | drill guide for angle stable screwing, length 45 mm, small fragment                      | 2      |
| 10.500.27A  | drill guide with handle for small fragment, handle length 55 mm                          | 1      |

| Item no.    | Item description                                                            | Quant. |
|-------------|-----------------------------------------------------------------------------|--------|
| Instruments |                                                                             |        |
| 10.520.30   | double drill guide Ø 2.5 mm/ Ø 3.5 mm, spring bushing                       | 1      |
| 2.9406.25   | hex screwdriver with handle for screws Ø 2.7 mm - Ø 4.0 mm, AF 2.5, conical | 1      |
| 2.953.60    | gauge with clasp for screws Ø 3.5 mm, Ø 4.0 mm, measuring range 60 mm       | 1      |
| 2.911.06    | bending lever for reco plates small fragment                                | 2      |
| 2.954.01    | screw forceps, self holding                                                 | 1      |